

Innovative technology

TIP-ON BLUMOTION combines the advantages of the TIP-ON mechanical opening support system with reliable BLUMOTION dampening for silent and effortless closing – 100% mechanically. This advanced motion technology from Blum can also be used with MOVENTO, the concealed runner system for wooden drawers.

Ablum



Small front gap

TIP-ON BLUMOTION has a front gap of just 2.5 mm so it is ideally suited for use in different furniture.



Four-dimensional adjustment

The four-dimensional adjustment ensures a precise gap layout. The integrated depth adjustment can be made tool-free using the adjustment wheel.



Reliable function

It is possible to pull to open or push to close without difficulty, and TIP-ON BLUMOTION will remain fully functional.




Easy assembly

Tool-free assembly is possible for all TIP-ON BLUMOTION components. The adjustment template can be used to precisely and conveniently adjust the front gap to 2.5 mm.

Order specification

TIP-ON BLUMOTION for MOVENTO





2	Left/right locking device	
	Order locking device separately	
	Left	T51.7601
	Right	T51.7601

1	TIP-ON BLUMOTION MO Left/right	VENTO runner	
	Nominal length (NL)	40 kg	60 kg
	270 mm	760H2700M	
	300 mm	760H3000 M	
	320 mm	760H3200M	
	350 mm	760H3500M	
	380 mm	760H3800M	
	400 mm	760H4000M	
	420 mm	760H4200M	
	450 mm	760H4500M	766H4500M
	480 mm	760H4800M	
	500 mm	760H5000M	766H5000M
	520 mm	760H5200M	766H5200M
	550 mm	760H5500M	766H5500 M
	580 mm		766H5800M
	600 mm	760H6000M	766H6000M
	650 mm		766H6500M
	700 mm		766H7000M
	750 mm		766H7500M

Front gap template for TIP-ON BLUMOTION LEGRABOX / MOVENTO

Setting the front gap to 2.5 \mbox{mm}

Recommended weight ranges* for an optimum opening and closing function								
< 10	kg	20 kg	30	kg	40 kg	ı	50 kg	60 kg
≤ 1	10							
		> 10-20						
≤ 20								
			5-40					
						:	25–60	

4a	TIP-ON BLUMOTION synchronisation adapter	
	Symmetrical, used in conjunction with a synchronisation linkage, two required per synchronisation linkage, for internal cabinet widths ≥ 314 mm T60	.000D
4b	TIP-ON BLUMOTION synchronisation (one-part) for cutting to size	
	Symmetrical, no synchronisation adapter required, for internal cabinet widths of 265–313 mm	
	T60	.300D
5	TIP-ON BLUMOTION synchronisation linkage (round) for cutting to size	
	Possible for cabinet widths ≥ 400 mm	
	Suitable for cabinet widths of up to 1400 mm	1125W
Accessories		

^{*} Total weight of the pull-out

Julius Blum GmbH
Furniture Fittings Mfg.
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-mail: info@blum.com

www.blum.com







